



EX-DSQE

QUADRA M. AND SWITCHING EX.U. KIT. 2 WIRES



External unit expansion kit consisting of EX-DSME external unit (die-cast aluminium front panel, colour camera and single LED for night-time lighting, mechanical buttons with the option of setting 1 to 4 call buttons via dip switch, indicator LEDs for call sent, lock-release triggered, audio activated and system busy, speaker volume adjustment and audio balancing, power supply via bus line) and the 1405 video splitter for adding an expansion external unit (audio/video switching module for 2-wire digital systems, for connection of an additional EX-DSME, power supply via bus line, 2 DIN modules). Compatible with HFX-70200M, HFX-7000MW, HFX-8000M and HFX-9000M.

AWARDS





EX-DSQE

QUADRA M. AND SWITCHING EX.U. KIT. 2 WIRES

GENERAL DATA

Wall-mounted

Yes

HARDWARE FEATURES

Clamps

LL RTE COM DO SE- SE+C NC NO

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°F)

-13 ÷ 131

**EX-DSQE****QUADRA M. AND SWITCHING EX.U. KIT. 2 WIRES****ACCESSORIES****EX-
DSME****QUADRA M. EXTERNAL UNIT. 2 WIRES**

External unit with new mechanical buttons and call buttons featuring exclusive "Sensitive Touch" technology. Die-cast aluminium cover with protection rating IK08. Colour HD video camera, 4 indicator LEDs for call sent, door open, audio active and system busy, plus white LED for lighting purposes. Nameplate holder in versions with 1/2/4 programmable buttons. Surface mounting. Can be expanded up to 4 panels - Expansion code EX-DSQE. Only compatible with HFX-7000M, HFX-7000MW, HFX-8000M and HFX-9000M.

**1405****DIGITAL EXCHANGE 2 QUADRA INPUTS. S2**

Audio/video switching module for audio/video kit systems. For use in systems with a maximum of 2 entrances with Quadra series external unit. Power supply from bus line. Dimensions: 35x90x58mm (2 DIN modules).