



1952N

AUDIO/VIDEO PORTER SWITCHBOARD. VIP



Tabletop audio-video porter switchboard with touch screen and alphanumeric keypad, for the simple and intuitive use of functions. Displays visitor images and the name of the user to call. Day/night mode and user/user intercom service. 12 VDC power supply with art. 43082 or direct from the ViP Ethernet network.

AWARDS





1952N

AUDIO/VIDEO PORTER SWITCHBOARD. VIP

ELECTRICAL CHARACTERISTICS

PoE power supply	Standard IEEE 802.3af, Comelit PoE (56VDC)
Maximum absorption (W)	11
Max/min absorption (mA)	50 ÷ 200

MAIN FUNCTIONS

Self Activation	Yes
-----------------	-----

GENERAL FEATURES

Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011), UL 62368-1 (3rd Ed)
OSD display	Yes
Type of buttons	Mechanical

MAIN FEATURES

Height (inch) (in)	4.33
Width (inch) (in)	8.86
Depth (inch) (in)	8.86
Product weight (oz) (oz)	38.8
Operating temperature (°F)	23 ÷ 131
Operating humidity (RH max) (%)	25 ÷ 90
Supply voltage	12VDC
Maximum current absorption (mA)	200

SOFTWARE/FIRMWARE SPECIFICATIONS

IP assignment	AUTO IP, DHCP, STATIC
No. of storable users (n°)	4000

GENERAL DATA

Type of finishing materials	ABS
-----------------------------	-----



1952N

AUDIO/VIDEO PORTER SWITCHBOARD. VIP

GENERAL DATA

Product color	Black RAL9005
ViP	Yes
Display size (")	3.5
Display type	Graphic LCD
Touch screen	Yes
Number of push-buttons	28
Communication ports	RJ45 (Ethernet)
Loudspeaker volume	Yes
Microphone volume	Yes
Type of LAN network	Ethernet 10 Mbit/s
IP address assignment	DHCP, AUTO IP, static IP
Environmental class	III
Door opener	Yes

FUNCTIONS

Alarm function	Yes
Actuator control function	Yes
Intercom function	Yes
Key button function	Yes

COMPATIBILITY

Vip system	Yes
------------	-----

MOUNTING/INSTALLATION

Desk base-mounted	Yes
-------------------	-----

AUDIO/VIDEO FEATURES

Audio/video system	Yes
--------------------	-----

CONNECTIVITY



1952N

AUDIO/VIDEO PORTER SWITCHBOARD. VIP

Ethernet ports (n°)

1