



Micro Raceway - 0.63" x 0.31"



Ideal for low-voltage cables e.g. Telecoms, I.T, AV, Security & Alarm wires



To hide speaker cable, bell wires, telephone and alarm cable, Micro Raceway offers a discreet solution.

Available in a choice of colors and with a range of smooth-fit accessories; that give a flush appearance.

- Micro ½ round profile, only 0.63" x 0.31" (WxH)
- Patented hinge & click-lock lid
- Smooth-fit accessories available for perfect finish
- Self-adhesive, or can be drilled & screw-fixed



Production	Single piece design, produced in one single process by extrusion
PVC base & lid	Light weight, easy to handle & cut Self-extinguishing Can be drilled
Flexible hinge	Effectively bonds base & lid - lid cannot detach Impact absorbing Can be opened & closed thousands of times
Available colors	White, Black, Almond
UV stabilized	Will not discolor or turn brittle in sunlight
Operating temperature	Stable between -22°F up to +140°F
½ round design	No sharp edges Enables subtle aesthetics Blends above baseboards
External dimensions	0.63" x 0.31" (W x H) - The smallest profile
Tape	Foam backed 0.04" thick Effective on clean dry surfaces Caution, can spoil surfaces on removal
Paintable	Scuff using gentle abrasive such as sandpaper, so paint keys for best results
Weight	0.8 oz per foot
Packaging	Each length supplied with removable film cover



Micro+ Raceway - 0.78" x 0.39"



Ideal for low-voltage cables e.g. Telecoms, I.T, AV, Security & Alarm wires



D-Line 0.78" x 0.39" Micro+ profile gives a neat solution for single flex cables, while offering internal capacity that can be useful around corners.

Clip-over bends and tees are available to provide a perfect finish & are quick & easy to install!

Ideal for flexible cables (up to 0.31" outer diameter), also fibre-optic, satellite/aerial, and broadband cable installations.

- Discreet and stylish appearance; only 0.78" x 0.39" (WxH)
- Patented hinge & click-lock lid
- Accessories available for perfect finish
- Self-adhesive, or can be drilled & screw-fixed



Production	Single piece design, produced in one single process by extrusion
PVC base & lid	Light weight, easy to handle & cut Self-extinguishing Can be drilled
Flexible hinge	Effectively bonds base & lid - lid cannot detach Impact absorbing Can be opened & closed thousands of times
Available colors	White, Black, Almond
UV stabilized	Will not discolor or turn brittle in sunlight
Operating temperature	Stable between -22°F up to +140°F
½ round design	No sharp edges Enables subtle aesthetics Blends above baseboards
External dimensions	0.78" x 0.39" (W x H)
Tape	Foam backed 0.04" thick Effective on clean dry surfaces Caution, can spoil surfaces on removal
Paintable	Scuff using gentle abrasive such as sandpaper, so paint keys for best results
Weight	0.9 oz per foot
Packaging	Each length supplied with removable film cover