Enclosure RBH ENCL1/ENCL1-PS

Robust enclosure to house a variety of RBH controllers and great ease of installation

RBH ACCESS

RBH ENCL1 / ENCL1-PS

ENCL1 is a robust enclosure designed to house a variety of RBH controllers.

It features convenient removable cover mounted on heavy duty hinges and allowing 170° swing and lock.

Installation is made convenient by a number of conduit access points on all sides of the enclosure.



Enclosures are compatible with the following

• IRC-2000-B, NIRC-2000-B, URC-2002-B,

NURC-2002-B, URC-2008-B & ELV8-B

Specifications Housing Metal housing with 3 mounting holes Dimensions: Width 12" (30,5 cm) 14" (35,5 cm) Height Depth 3 1/4" (8 cm) Conduit Access: 10 3 of 3/4 knockouts Тор 3 of 3/4 knockouts Bottom 2 of 3/4 knockouts Left Right 2 of 3/4 knockouts Tamper Switch N.O. 2A max Weight 19 lbs (8.6 Kg)





ENCL1 open door

ENCL1-PS open door

RBH-ENCL1 Includes: • Lock with 2 Key

Features:

Removable Door
Lock With 2 Keys
Tamper Switch Mount
Knock outs for 3/4" conduit

PS-1224 MountVentilation Slats

controllers:

RBH-ENCL1-PS

Includes: • Lock with 2 Keys • PS-1224 Power Supply - In: 16.5 VAC 40 VA - Out: 12 VDC @ 2.5A

How to order:

RBH-ENCL1: (Enclosure only) RBH-ENCL1-PS: (Enclosure with power supply)





RBH Access Technologies, Inc. 2 Automatic Road, Suite 108 Brampton ON L6S 6K8, Canada

> 1-905-790-1515 1-905-790-3680

info@rbh-access.com



